


Great British Doors



Welcome home

Fortis Aluminium - a complete home door range that is the perfect mix of security, durability, energy efficiency & style perfection.

The Fortis factory is British based and is well equipped with the latest machinery & technology. Designers have put together a range of door designs that will suit every type of property from contemporary to traditional. All doors are handcrafted & bespoke and with state of the art CNC machinery, any motif can be carved into the aluminium face externally & internally. If you are looking for something oversized - the hinged doors can go up to 1.4m wide & 3m tall.


The D72 range offers fantastic levels of security, impressive thermal efficiency, one piece frame and benefits from the latest electronic access technology. The UD range of doors have been developed to offer similar levels of security and insulation whilst being hardware suited with our range of D72 entrance doors. UD is perfect for back doors, side doors and garage/utility personnel entrances.

We take immense pride in the production of every Fortis door. Each stage of the production is carefully carried out, checked & signed off ready for packaging before the door leaves the factory.

We look forward to supplying your new door.







Fortis Doors

Great British doors:

Fortis Aluminium are proud to manufacture our range of energy efficient, high security door systems in **Great Britain**. We source and manufacture the majority of our components in the UK resulting in less transport and a lower carbon footprint compared to European built aluminium door systems. Function and form are key in our design and manufacturing process to ensure that each door we produce in our Leicester factory will last for years to come.

Engineering excellence:

Only the highest grade materials are good enough for a Fortis door. Our doors are **engineered** to last and withstand the toughest of environments. Every small detail of every single door we produce is considered and perfected. Our doors are all hand made in our purpose built factory from marine grade, corrosion resistant alloys, 304 and 316 grade stainless steel and argon filled, high security triple glazing as standard on the **D72** range.

Cutting edge technology:

Technological advancements don't just feature in our door control systems, biometrics and smart home integration. **Fortis** are always pushing boundaries and using the best alloys, finishes to the highest coating standards, Low-E sealed units with high security ratings, thermally efficient profiles and super insulated cores. As a factory solely building our doors by hand, we have the ability to integrate, learn and change our processes to ensure our doors are always **cutting edge.**

D72: Aluminium door



Each door is made to order to your exact specification to suit your design requirements. With Fortis, you get more as standard from our flush fitting profiles to our marine grade stainless steel hardware.

A D72 Aluminium door is designed to give outstanding levels of security with **PAS24 Enhanced security for doorsets** accreditation. Furnished with multi-point locking, BSI 3 Star Kitemark & Sold Secure Diamond Standard Euro Cylinder with 5 keys and laminated, argon filled triple glazed glass units with warm edge spacer bars.

There's no room for compromise, all doors are built with the following components:





304/316 Fittings

Marine grade handles and hardware. Internal and external handles are built to the highest standard and intensively salt spray



High security locks

Multi-point **7 point lock** system as standard.
FUHR lock systems are world renowned as a market leader in lock technology.



High grade hinges

3-way adjustable
Rollband **hinges** for
heavy doors and
intensive usage.
Reduces the need for
frame extensions.



Thermal insulation

3mm 5000 series coastal grade aluminium plates sandwich 66mm of ultra dense insulating core material.

Triple glazed.

The ultimate lock cylinder:















The 3* star cylinder provides the maximum level of lock security, offering un-paralleled protection against the most common methods of lock attack. It safeguards from all forced methods of attack ranging from snapping, drilling, plug-extraction, picking and bumping. The cylinder is specifically engineered with a unique sacrificial point, which when tampered with externally sets an interlocking cam mechanism into action, preventing any further damage to the internal parts of the cylinder, whilst still keeping the lock operable from the inside. Thumb turn as standard with the option of key / key.



Ratings: BSI 3 Star Kitemark & Sold Secure Diamond Standard Euro Cylinder.

D72 aluminium door












On an oversized door 1230 x 2180 - U value of 0.87 W/m2K Multiple sealing gaskets give a Fortis D72 great results. Our air permeability and driving rain resistance performance speaks for itself Split door profiles and incorporated slide in springs

Made to measure doors up to 1.4m wide x 3m high



Smart home ready when specified with electronic locking. Works with:












Reflection: Utilising highly secure glazed elements, thermally broken insulated frames and chassis to ensure maximum light admittance whilst retaining high security levels.



Pictured: Reflection F700 doorset in RAL 7011, matt with clear triple glazing.










Design your dream door at **fortisal.co.uk**



Fortis D72 doors are PAS24 tested and certified









Flush D72 door / frame detail





Add fingerprint entry to your door incorporating app control, virtual keys and smartphone monitoring.










LED handle options



Pure: Design underlines simplicity and creativity. Following modern architectural trends & representing many unique style accents to complement clean contemporary finish.












4-in-1 UniLock: Finger print, keypad, app control & RFID



Cylinder - BSI 3 * Kitemark & Sold Secure Diamond Standard Euro Cylinders with 5 keys









Concealed and RAL finished hinge options







School Farm Barn

Maxstoke, West Midlands, UK

Entrance Door: Fortis Aluminium

Door specification System: D72 Design: F801

Internal: F801 Internal design Finish: RAL 7021 Fine structure

Handle: HR10 recessed

Internal handle: HL10R, RAL 7021

Hinges: HG30 concealed Lock: 9 point inc extension

Sidelights: Clear

Screen width: 3634mm Screen height: 2510mm Door width: 1500mm

Sidelight width: 1067mm (x2)

Fixed Glazed fanlight

Walk through width: 1406mm

Threshold: Low level Door rating: PAS24

Contractor: Hohm Developments





Got your own style? You design it - Fortis will build it



Fortis Configurator



You can visualise your door on your own property at **fortisal.co.uk**



The finer details, as standard...






Anodised rollband hinges

7 point lock with stainless band



Stainless steel security escutcheon







Range: Residence







Residence Hardware set Satin | Chrome | Brass

Residence: Classic British design with bespoke hardware and fittings. A classic look with the energy efficiency and security. Clean recesses and modern lines.

Pictured: Residence Bespoke design with chrome hardware, finished in Jet Black, RAL 9005 fine structure



Range: Residence



Tailored hardware sets for Residence and traditional door designs





Range: Residence





Standard Colours: 12 standard colour options + limitless additional RAL, NCS & Le Corbusier paint finishes.

RAL9016	RAL9010	RAL9006	
RAL9007	RAL7015	RAL7016	RAL to
RAL7021	RAL9005	RAL5011	choose. We can
RAL3003	RAL3004	DB703	colour match to any RAL.

Element finishes:

Elements finishes reflect the patinas caused naturally by metallic oxidation, ageing, patina, natural stone and changes in composition. Elements is an exciting development in powder coating technology, creating beautiful and striking effects with additional low maintenance free benefits. Elements are hand applied for a natural varying finish. 6 individual, bespoke options to choose from:



SD finishes:

If you love natural timber but don't want the associated problems and maintenance, then Fortis SD wood sublimation finishes are the answer. Applied to our aluminium doors in the same method as the powder coat finishes, with the addition of the realistic wood colour and grain effect for a lasting, maintenance free wood or feature finish with low pattern repetition. Additional option of SD Concrete & Rust.





Signature Doors



SG2

SG2 incorporating full height, angled face plate and hidden handle & a glazed section.



SG5

SG5 incorporating full height, angled, grooved face plate and hidden, handle.

SGC

SGC incorporates the twin angled face plate with glazing concealed by an oversized, industrial square bar handle. Glazing option: Clear, satin or tinted.



The finest aluminium doors.



Hardware:

Pull Handles - Stainless steel and option of RAL colour:

Recessed handles from 400mm - 3000mm







HR20



LED:Cool white,
Warm white
or Blue
indirect
lighting.

Traditional Hardware:



HPGH GLASS









LBOXC: Classic letterplate - stainless

Traditional Hardware also available in Satin Brass PVD finish

Internal handles:

316 Stainless steel







HL30



HL10, 20, 30 RAL to choose





HG10



G20 HG3

Escutcheons:







Access control - Smart solutions built into your door:



ACIOH Finger scan entry integrated bar handle option



AC15 Black or Brushed stainless steel Finger scan entry with app control



AC20 Touch coded entry pad with finger scanner, app control &




AC30 App control



AC40 Remote entry



Glass and sidelights:



All glass units are UK manufactured to GGF standards and can be blasted with bespoke designs.


They are constructed using high security laminated glass both internally and externally. D72 doors are built with triple glazed units and the central pane of glass is toughened. Units are Softcoat Low emissivity coated for ultimate thermal performance and filled with argon gas for insulation improvement.

Matching aluminium house signs:

HARDWICKE ROA



Locks:





Utility doors - UD:







UD2 UD3

Fortis Utility doors perfectly compliment the D72 entrance doors. With suited hardware, furniture & high security laminated glass; back doors have never looked so good. Opening options: Inward or Outward

UD doors can also be specified as main entrance doors with double or triple security glazing.

Finger Scanner - Complete access control

Smart home solutions, built in to your door for total control and security.

Turn your front door into a smart experience. The option of a finger scanner revolutionises home access with fingerprint entry and full App control from any location. You will experience a new feeling of comfort and enjoy more flexibility in everyday life.

The finger scanner offers you an intelligent access system that meets tomorrow's needs today:

- Keyless entry stores 500 prints
- Door leaf or handle mounted fingerprint entry
- App controlled administration and unlocking
- Entrance schedules for users
- Convenient remote opening from anywhere with WIFI or data connection
- Automatic push notifications to monitor usage
- Device back up & transfer
- Operating temperature: -30°C to +80°C



Technical:



Proven security:

Fortis D72 doors - Successfully tested as a complete doorset to PAS24 Enhanced security for doorsets. Our doors are fully compliant with UK building regulations. Further European testing has been carried out at IFT Rosenheim to RC2 and RC3 levels.



Proven thermal efficiency:


U value's from 0.71. Thermally broken and PU insulated frames and profiles ensure maximum thermal efficency form each and every Fortis D72 door. D65 Doors - not currently tested

Locks and security components:

FUHR 859 Multipoint hook lock - Successfully tested as critical components within: PAS24 Enhanced security performance requirements for doorsets and windows in the UK. Doorsets and windows intended to offer a level of security suitable for dwellings and other buildings exposed to comparable risk BSI Kitemark KM597995 refers.

FUHR 833 Automatic motorised lock - Successfully tested as critical components within: PAS24 Enhanced security performance requirements for doorsets and windows in the UK. Doorsets and windows intended to offer a level of security suitable for dwellings and other buildings exposed to comparable risk BSI Kitemark KM593756 refers.

Low level threshold detail



Size parameters **Overall frame dimension**

D72 = 800mm - 1400mm × 1990mm - 2500mm

Oversized doors

D72 = 1400mm x 3000mm

D72 Sidelight size parameters triple glazed laminated with thermally broken, insulated frame supplied as 1 piece frame with door.

Overall frame dimension

(ordering size) 200mm - 1200mm x 1990mm - 2500mm


Oversized sidelights

Over 1200mm x 2500mm+ Seek technical advice

D72 - Bonded door size parameters Maximum width: 1400mm Maximum height: 3000mm

UD - Utility door size parameters Maximum width: 1250mm Maximum height: 2350mm

Frame/Sash section detail




Frame (*denotes 85mm frame option)

Profile depth Profile width (inner) Profile width (outer) Mullion width (inner) Mullion width (outer) Frame wall thickness Frame insulation Frame thermal break

Panel

Chassis profile

Thermal break Sheet thickness (inner) Sheet thickness (outer) Insulation type Insulation thickness Glazing



D72 72mm **UD** 72mm Std 46mm or *Wide 61mm

Std 70mm or *Wide 85mm 46mm 94mm 2.2mm


> **D72** 22mm PU Yes

D72 Flush detail 65x64.5mm **UD** Profile / beaded back Yes - Sprung **D72** 3mm

D72 3mm SupaTherm 150 EPS **D72** 66mm **UD** 31mm D72 66mm Soft coat Low E Laminated argon filled triple glazed, Thermally improved

UD 32mm Laminated double glazed, thermally improved

Optional cill detail 85 / 150 / 190mm



Aluminium specification

5251 - H22 Sheet and Plate Aluminium alloy 5251 is a high strength alloy possessing good ductility and therefore good formability. Alloy 5251 is known for work hardening rapidly and is readily weldable. It also possesses high corrosion resistance particularly in marine environments.

Glass Specification - D72 Triple glazed glass build up:

6.8mm Softcoat Low E security glass / Thermally improved spacer bar / 4mm Toughened glass / Thermally improved spacer bar / 6.8mm Softcoat Low E security glass - Argon gas fill in internal and external unit cavities.

Glass Specification - UD doors Double glazed glass build up:

6.8mm Softcoat Low E security glass / Thermally improved spacer bar / 6.8mm Laminate



Performance Guarantee:





Subject to the following terms and conditions below; door sets supplied by Fortis Aluminium Ltd are warranted for the following periods set from the date of delivery / installation (UK & Channel Islands Only) subject to the following limitations & exclusions.

Hinges, Locks and hardware - 5 Years

Powder Coat failure - 5 years (If Coastal location - Anodised components must have been ordered)

Glass unit failure (misting between panes only) - 5 years

Access control: Finger scan & Key pad systems - 2 years

Lock cylinders - 1 year

LED Lighting – 1 year

Excludes all third party components supplied & fitted by the client after purchase or client-supplied items fitted on the clients behalf in the factory

Damage or failure caused by poor maintenance not in accordance with instructions

Damage or failure due to improper or incorrect installation

Damage caused by others beyond our control caused but by limited to accident, abuse, misuse, mishandling, storm, fire, flood or other acts of nature If a door or glazing has been altered or modified in any way

Delivery damage claims once a door has been installed

Colour or shade variations arising from RAL colours viewed online or in a printed format outside of a genuine RAL Classic colour chart

Full warranty document available from your Fortis Dealer on request





See the full range on the **Door configurator**



Design your dream door

You can visualise your door on your own property at fortisal.co.uk

SCAN ME



Scan the $\mathbf{QR}\,\mathbf{code}\,\mathsf{to}\,\mathsf{link}$ straight into the door designer online



Follow us



